LABEL PRINTER

LABELWORKS PX LW-PX400





Professionals prefer LABELWORKS PX and the LW-PX400 — a portable, wireless industrial labeling and wire-marking printer with a lifetime warranty. Whether you are a Datacom installer or an electrician, or need a compact industrial labeling solution, the LW-PX400 is a convenient way to label. The smallest, lightest and most flexible 24 mm printer on the market, the LW-PX400 can work wirelessly in the field via Bluetooth using either an iOS or Android mobile device, or from a PC and Label Editor Professional software. Create professional visual identification with durable adhesive supplies and mark wires/cables with self-laminating wraps and heat shrink tubing.

















ENGINEERED FOR BUSINESS

SMARTER

Connects to either Android or iOS mobile devices via Bluetooth, or to a PC through a USB cable to print low-cost labels and wire markers.

SMALLER & EASIER

A compact design and easy-to-use apps and software make this printer the ideal solution for label printing in the field or at your workstation.

BETTER

An industrial rubber cover protects the LW-PX400 from hard daily use, and the unmatched warranty protects your printer for life.

LABEL PRINTER

LABELWORKS PX LW-PX400


Designed for the demands of industrial labeling in a variety of environments, the LW-PX400 is able to satisfy a wide array of applications through a diverse range of supplies, and supported with an unmatched lifetime warranty.



SMARTER

Connect via Bluetooth to any Android or iOS mobile device or to your PC through a USB connection. A small lead margin reduces print waste and cost up to 60% vs. other label printers.





LABEL PRINTER

LABELWORKS PX LW-PX400

SMALLER & EASIER

The LW-PX400 footprint is slim, compact, and easily carried into the field. For industrial applications, the iLabel app is filled with industrial symbols and templates for clear visual communication. For IT professionals, the Datacom app streamlines wire and panel marking with quick features tailored for TIA-606 standards or custom formats.



BETTER

The rubber sleeve protects against accidental drops and has passed strict Mil-Spec drop testing (MIL-STD-810F), and Epson has added another layer of protection unmatched by any competitor by backing the LW-PX400 with a LIFETIME WARRANTY.




Ultimate Versatility with Epson Label Editor Professional Software

This powerful and versatile software comes free with the LW-PX400. Print wirelessly or via USB using this intuitive label-creating software that has hundreds of templates, images, bar codes and features to help you create outstanding visual communication.



VARIETY OF SUPPLIES

LABELWORKS PX supplies offer a diverse range of industrial materials, colors and sizes to meet practically any need. Exclusive magnetic tape and industrial adhesives for general identification or inventory management, as well as heat shrink tube and self-lamination wire wrap for cable and wire identification. With PX tape, you get a durable, low-cost solution for your ID needs.



LW-PX400	
Epson LABELWORKS PX	
Sold by K-Sun Corporation	
Manufacturer Manufacturer	Epson
Brand	LABELWORKS PX
SKU	LW-PX400
PRINTER	
Certifications	Energy Star, MIL-STD-810F Method 516.5 Shock
Weight(g)	590g (1.3 lbs)
Size	60mm (W) x 134.7mm (D) x 151mm (H) (2.36" x 5.4" x 5.94")
LCD	None
Backlight	No
Keyboard Type	Mobile Device Configuration
Hot Keys (alternate function)	None
Power Supply	6AA/AC adaptor
LED (Battery Charge Indicator)	N/A
File Download	N/A
BMP download Max Print Speed	N/A 15mm/sec (AC adapter)
Cutter	AUTO-FULL
Menu Prompt Languages	Mobile Device Configuration
Cartridge Loading	Side
Tape Width	4-24mm (1/6" - 1")
Die-cut Supplies	No
Max HST width	14.28 mm (9/16")
Printer head width	18.06 mm
Printing resolution(dpi)	180 dpi
SOFTWARE	
Support OS	Win, iOS, Android
Labeling Apps	Epson Datacom; Epson iLabel
PC Software	Label Editor Professional (Win), Label Editor Lite (Mac)
Interface	USB, Bluetooth
FEATURES	
Warranty	LIFETIME
Mixed-Length Label Strip with Half-Cut	No No
Pick-and-Print Hands-Free Label Printing	No No
Label Preview	Yes
Tape End Detection	Na
	No No
Tape Type Detection	Yes: Label (4bit)
Auto Tape Rewind (For shortening label margin)	Yes: Label (4bit) No (10mm lead margin on first print)
	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and
Auto Tape Rewind (For shortening label margin) Datacom App	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected
Auto Tape Rewind (For shortening label margin)	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp,
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols
Auto Tape Rewind (For shortening label margin) Datacom App	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle,
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers,
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers,
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8,
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code,
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A,
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix.
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix.
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix.
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix.
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix.
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery Hard carrying case	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix. Yes Yes No No
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery Hard carrying case AC adaptor	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix. Yes Yes No No No
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery Hard carrying case AC adaptor USB Cable	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix. Yes Yes No No No Yes Yes
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery Hard carrying case AC adaptor USB Cable Tape Cartridge	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix. Yes Yes No No No Yes Yes Yes Yes Yes Yes Yes Ye
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery Hard carrying case AC adaptor USB Cable Tape Cartridge Date/Time Stamp	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix. Yes Yes Yes Yes Yes Yes Yes Ye
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery Hard carrying case AC adaptor USB Cable Tape Cartridge Date/Time Stamp External memory	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix. Yes Yes No No No Yes Yes Yes Yes Yes Yes Yes Ye
Auto Tape Rewind (For shortening label margin) Datacom App iLabel App Symbols Bar Codes PACKAGE INCLUDES Label Editor Professional Software User Manual Magnet attachment Rechargeable Battery Hard carrying case AC adaptor USB Cable Tape Cartridge Date/Time Stamp	Yes: Label (4bit) No (10mm lead margin on first print) TIA-606-B templates, wire wrap, patch panel templates and custom configurations, Faceplate, Fluke Linkware Live Connected Visual Communication templates, QR codes, Date/Time stamp, Cloud sharing, Handwrite labels, 400+ symbols Work/Office, Public facility, Lifestyle, Eco-friendly, Vehicle, Instructional, Prohibition, Warning, Shapes, Arrows & Numbers, Mathmatical Units, Regional 9 (iLabel): EAN-8, EAN-13, CODE128, CODE39, QR CODE, ITF, CODABAR, UPC-A, UPC-E. 15 (Label Editor Professional): EAN-8, EAN-13, CODE128, CODE39, QR CODE, NW-7 (CodaBar), UPC-A, UPC-E, ITF, EAN-128 (GS1-128), GS1 DataBar, Micro QR Code, MaxiCode, PDF417, Data Matrix. Yes Yes Yes Yes Yes Yes Yes Ye



LW-PX400 Kit Includes:

LW-PX400 printer
Drop-Guard printer cover
½" Black on White tape (212BWPX)
Label Editor Pro software CD
USB cable
A/C adapter

© 2017 Epson LABELWORKS PX. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Apple, iPad and iPhone are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc.

Android is a trademark of Google Inc.

The Bluetooth word mark and logos are owned by Bluetooth SIG, Inc.

